



QQX2.E320098

Electrically Isolated Semiconductor Devices - Component

[See General Information for Electrically Isolated Semiconductor Devices - Component](#)

NELL SEMICONDUCTOR CO LTD

E320098

ROOM A, 3RD FL.

308 DATONG RD, SEC 1

XIZHI DISTRICT

NEW TAIPEI, 221 TAIWAN

Electrically isolated semiconductor devices, NR Series, Models NR1502, NR1504, NR1506, NR1508, NR1510, NR1512, NR1514, NR1516, NR2502, NR2504, NR2506, NR2508, NR2510, NR2512, NR2514, NR2516, NR3502, NR3504, NR3506, NR3508, NR3510, NR3512, NR3514, NR3516, NR5002, NR5004, NR5006, NR5008, NR5010, NR5012, NR5014 and NR5016.

GBPC Series, Models GBPC1502, GBPC1504, GBPC1506, GBPC1508, GBPC1510, GBPC1512, GBPC1514, GBPC1516, GBPC2502, GBPC2504, GBPC2506, GBPC2508, GBPC2510, GBPC2512, GBPC2514, GBPC2516, GBPC3502, GBPC3504, GBPC3506, GBPC3508, GBPC3510, GBPC3512, GBPC3514, GBPC3516, GBPC5002, GBPC5004, GBPC5006, GBPC5008, GBPC5010, GBPC5012, GBPC5014 and GBPC5016.

KBPC Series, Models KBPC1502, KBPC1504, KBPC1506, KBPC1508, KBPC1510, KBPC1512, KBPC1514, KBPC1516, KBPC2502, KBPC2504, KBPC2506, KBPC2508, KBPC2510, KBPC2512, KBPC2514, KBPC2516, KBPC3502, KBPC3504, KBPC3506, KBPC3508, KBPC3510, KBPC3512, KBPC3514, KBPC3516, KBPC5002, KBPC5004, KBPC5006, KBPC5008, KBPC5010, KBPC5012, KBPC5014 and KBPC5016.

KBPC-W Series, Models KBPC1502W, KBPC1504W, KBPC1506W, KBPC1508W, KBPC1510W, KBPC1512W, KBPC1514W, KBPC1516W, KBPC2502W, KBPC2504W, KBPC2506W, KBPC2508W, KBPC2510W, KBPC2512W, KBPC2514W, KBPC2516W, KBPC3502W, KBPC3504W, KBPC3506W, KBPC3508W, KBPC3510W, KBPC3512W, KBPC3514W, KBPC3516W, KBPC5002W, KBPC5004W, KBPC5006W, KBPC5008W, KBPC5010W, KBPC5012W, KBPC5014W and KBPC5016W.

NB Series, Models NB104, NB106, NB1010, NB10154, NB156, NB1510, NB254, NB256 and NB2510.

MT Series, Models MT2510, MT2512, MT2514, MT2516, MT3510, MT3512, MT3514, MT3516, MT5010, MT5012, MT5014 and MT5016.

NL Series, Models NL1502, NL1506, NL1508, NL1510, NL1512, NL1516, NL2502, NL2506, NL2508, NL2510, NL2512, NL2516, NL3502, NL3506, NL3508, NL3510, NL3512, NL3516, NL5002, NL5006, NL5008, NL5010, NL5012, NL5016, NL6002, NL6006, NL6008, NL6010, NL6012, NL6016, NL10002, NL10006, NL10008, NL10010, NL10012 and NL10016.

SNL Series, Models SNL1502, SNL1506, SNL1508, SNL1510, SNL1512, SNL3506, SNL3508, SNL3510, SNL3512, SNL3516, SNL5002, SNL5006, SNL5008, SNL5010, SNL5012, SNL5016, SNL6002, SNL6006, SNL6008, SNL6010, SNL6012, SNL6016, SNL10002, SNL10006, SNL10008, SNL10010, SNL10012 and SNL10016, SNL1516, SNL2502, SNL2506, SNL2508, SNL2510, SNL2512, SNL2516, SNL3502.

NKT followed by 25, 40, 50, 55, 70, 90, 92, 106, 110, 132, 135, 160, 200, 250, 300, 350, 400, 500, 600, 700 or 800, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

NTK followed by 25, 40, 50, 55, 70, 90, 92, 106, 110, 132, 135, 160, 200, 250, 300, 350, 400, 500, 600, 700 or 800, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

NKV followed by 25, 40, 50, 55, 70, 90, 92, 106, 110, 132, 135, 160, 200, 250, 300, 350, 400, 500, 600, 700 or 800, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

NTX followed by 25, 40, 50, 55, 70, 90, 92, 106, 110, 132, 135, 160, 200, 250, 300, 350, 400, 500, 600, 700 or 800, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

NKD followed by 25, 30, 40, 50, 55, 60, 70, 75, 90, 106, 110, 135, 160, 200, 250, 300, 350, 400, 500, 600, 700 or 800, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

NKJ followed by 25, 30, 40, 50, 55, 60, 70, 75, 90, 106, 110, 135, 160, 200, 250, 300, 350, 400, 500, 600, 700 or 800, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

NKC followed by 25, 30, 40, 50, 55, 60, 70, 75, 90, 106, 110, 135, 160, 200, 250, 300, 350, 400, 500, 600, 700 or 800, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

NKH followed by 25, 30, 40, 50, 55, 60, 70, 75, 90, 106, 110, 135, 160, 200, 250, 300, 350, 400, 500, 600, 700 or 800, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

NP followed by 25, 30, 40, 45, 50, 60, 70, 75, 90, 110, 135, 160, 200, 250, 300 or 350, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

MSP followed by 25, 30, 35, 40, 50, 55, 60, 70, 75, 100, 135, 150, 160, 200, 250, 300, 350, 400 or 500, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

MTP followed by 25, 30, 35, 40, 50, 55, 60, 70, 75, 100, 135, 150, 160, 200, 250, 300, 350, 400 or 500, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

UFT or NKFD followed by 100, 200, 300 or 400, followed by 20, 40, 60 or 80, followed by CT.

NK3D followed by 30, 40, 50, 70, 100, 150, 160 or 200, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

NK3DR followed by 30, 40, 50, 70, 100, 150, 160 or 200, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

NK3T followed by 25, 40, 50, 55, 70, 90, 92, 110, 132, 135, 150, 160, 200, 250, 300, 350, 400, 500, 600, 700 or 800, followed by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20 or -22.

Electrically isolated semiconductor devices, package code "TO-220", Series Triac. 4T08AI, 6T06AI, 6T12AI, 8T08AI, 8T12AI, 10T06AI, 10T12AI, 12T06AI, 12T12AI, 16T06AI, 16T12AI, 20T06AI, 20T12AI, 25T06AI, 25T12AI, 4T06AI, 4T10AI, 4T12AI, 6T08AI, 6T10AI, 8T06AI, 8T10AI, 10T08AI, 10T10AI, 12T08AI, 12T10AI, 16T08AI, 16T10AI, 20T08AI, 20T10AI, 25T08AI, 25T10AI.

Electrically Isolated Semiconductor Devices, package code "TO-220", Series SCR. 8PT06AI, 8PT08AI, 8PT10AI, 8PT12AI, 8PT16AI, 10PT06AI, 10PT08AI, 10PT10AI, 10PT12AI, 10PT16AI, 12PT06AI, 12PT08AI, 12PT10AI, 12PT12AI, 12PT16AI, 16PT06AI, 16PT08AI, 16PT10AI, 16PT12AI, 16PT16AI, 20PT06AI, 20PT08AI, 20PT10AI, 20PT12AI, 20PT16AI, 25PT06AI, 25PT08AI, 25PT10AI, 25PT12AI, 25PT16AI, 30PT06AI, 30PT08AI, 30PT10AI, 30PT12AI, 30PT16AI, 40PT06AI, 40PT08AI, 40PT10AI, 40PT12AI, 40PT16AI, 55PT06AI, 55PT08AI, 55PT10AI, 55PT12AI, 55PT16AI.

Electrically isolated semiconductor devices, package code "TO-3P", Series Triac. 26T06BI, 26T08BI, 26T12BI, 41T06BI, 41T08BI, 41T12BI, 20T06BI, 20T08BI, 20T10BI, 20T12BI, 20T16BI, 26T10BI, 26T16BI, 41T10BI, 41T16BI.

Electrically isolated semiconductor devices, package code "TO-3P", Series SCR. 70PT06BI, 70PT08BI, 70PT12BI, 70PT16BI, 30PT08BI, 30PT12BI, 30PT16BI, 40PT06BI, 40PT08BI, 40PT12BI, 40PT16BI, 55PT06BI, 55PT08BI, 55PT12BI, 55PT16BI.

Electrically isolated semiconductor devices, package code "TO-220F", Series Triac. 8T06AF, 25T08AF, 25T06AF, 20T08AF, 20T06AF, 16T08AF, 16T06AF, 12T08AF, 12T06AF, 10T08AF, 10T06AF, 8T08AF, 6T08AF, 6T06AF, 4T08AF, 4T06AF.

Electrically Isolated Semiconductor Devices, package code "TO-220F", Series SCR. 40PT16AF, 40PT12AF, 40PT08AF, 40PT06AF, 25PT16AF, 25PT12AF, 25PT08AF, 25PT06AF, 20PT16AF, 20PT12AF, 20PT08AF, 20PT06AF, 16PT16AF, 16PT12AF, 16PT08AF, 16PT06AF, 12PT16AF, 12PT12AF, 12PT08AF, 12PT06AF, 10PT16AF, 10PT12AF, 10PT08AF, 10PT06AF, 8PT16AF, 8PT12AF, 8PT08AF, 8PT06AF.

Bridge rectifiers, GBJ Series, Models GBJ1506, GBJ1508, GBJ1510, GBJ15J, GBJ15K, GBJ15M, GBJ2006, GBJ2008, GBJ2010, GBJ20J, GBJ20K, GBJ20M, GBJ2506, GBJ2508, GBJ2510, GBJ25K, GBJ25M, GBJ30J, GBJ30K, GBJ30M, GBJ35J, GBJ35K, GBJ35M.

GBPC Series, Models GBPC1506, GBPC1508, GBPC1510, GBPC1512, GBPC2506, GBPC2508, GBPC2510, GBPC2512, GBPC3506, GBPC3508, GBPC3510, GBPC3512, GBPC5006, GBPC5008, GBPC5010, GBPC5012.

GBU Series, Models GBU4D, GBU4J, GBU4K, GBU4M, GBU408, GBU6D, GBU6J, GBU6K, GBU6M, GBU608, GBU8D, GBU8J, GBU8K, GBU8M, GBU808, GBU10D, GBU10J, GBU10K, GBU10M, GBU1008, GBU15D, GBU15J, GBU15K, GBU15M, GBU1508, GBU20D, GBU20J, GBU20K, GBU20M, GBU2008, GBU25D, GBU25J, GBU25K, GBU25M, GBU2508, GBU30D, GBU30J, GBU30K, GBU30M, GBU35D, GBU35J, GBU35K, GBU35M.

KBJ Series, Models KBJ4D, KBJ4G, KBJ4J, KBJ4K, KBJ4M, KBJ6D, KBJ6G, KBJ6J, KBJ6K, KBJ6M, KBJ8D, KBJ8G, KBJ8J, KBJ8K, KBJ8M, KBJ10D, KBJ10G, KBJ10J, KBJ10K, KBJ10M.

Electrically Isolated Semiconductor Devices, package code "TO-92", 1T06E, 1T08E, 1PT06E, 1PT08E.

Marking: Company name and model designation.

[Last Updated on 2013-01-04](#)

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

◆ 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".